

# Unipro UGENE Online User Manual

- About Unipro
- About UGENE
  - Key Features
  - User Interface
  - High Performance Computing
  - Cooperation
- Download and Installation
  - System Requirements
  - UGENE Packages
  - Installation on Windows
  - Installation on Mac OS X
  - Installation on Linux
    - Native Installation on Ubuntu
    - Native Installation on Fedora
- Basic Functions
  - UGENE Terminology
  - UGENE Window Components
    - Welcome Page
    - Project View
    - Task View
    - Log View
    - Notifications
  - Main Menu Overview
  - Creating New Project
  - Creating Document
  - Opening Document
    - Opening for the First Time
      - Advanced Dialog Options
    - Opening Document Present in Project
    - Opening Several Documents
  - Opening Containing Folder
  - Exporting Documents
  - Locked Documents
  - Using Objects and Object Views
  - Exporting Objects
    - Exporting Sequences to Sequence Format
    - Exporting Sequences as Alignment
    - Exporting Alignment to Sequence Format
    - Exporting Alignment to Other Formats
    - Exporting Nucleic Alignment to Amino Translation
    - Export Sequences Associated with Annotation
  - Using Bookmarks
  - Exporting Project
  - Options Panel
  - Adding and Removing Plugins
  - Searching NCBI Genbank
  - Fetching Data from Remote Database
  - UGENE Application Settings
    - General
    - Resources
    - Network
    - File Format
    - Directories
    - Logging
    - Alignment Color Scheme
    - External Tools Settings
    - Genome Aligner
    - Workflow Designer Settings
    - OpenCL
- Sequence View
  - Sequence View Components
  - Global Actions
  - Sequence Toolbar
  - Sequence Overview
  - Sequence Zoom View
    - Managing Zoom View Rows
  - Sequence Details View
  - Information about Sequence
  - Manipulating Sequence
    - Going To Position
    - Toggling Views
    - Capturing Screenshot
    - Zooming Sequence
    - Creating New Ruler
    - Selecting Amino Translation
    - Showing and Hiding Translations
    - Selecting Sequence
    - Copying Sequence

- Search in Sequence
    - Load Patterns from File
    - Search Algorithm
    - Search in
    - Other Settings
    - Annotations Settings
  - Editing Sequence
  - Exporting Selected Sequence Region
  - Exporting Sequence of Selected Annotations
  - Locking and Synchronize Ranges of Several Sequences
  - Multiple Sequence Opening
- Annotations Editor
  - Automatic Annotations Highlighting
  - The "db\_xref" Qualifier
- Manipulating Annotations
  - Creating Annotation
  - Selecting Annotations
  - Editing Annotation
  - Highlighting Annotations
    - Annotations Color
    - Annotations Visibility
    - Show on Translation
    - Captions on Annotations
  - Creating and Editing Qualifier
  - Adding Column for Qualifier
  - Copying Qualifier Text
  - Finding Qualifier
  - Deleting Annotations and Qualifiers
  - Importing Annotations from CSV
  - Exporting Annotations
- Sequence View Extensions
  - Circular Viewer
    - Circular View Settings
  - 3D Structure Viewer
    - Opening 3D Structure Viewer
    - Changing 3D Structure Appearance
      - Selecting Render Style
      - Selecting Coloring Scheme
      - Calculating Molecular Surface
      - Selecting Background Color
      - Selecting Detail Level
      - Enabling Anaglyph View
    - Moving, Zooming and Spinning 3D Structure
    - Selecting Sequence Region
    - Selecting Models to Display
    - Structural Alignment
    - Exporting 3D Structure Image
    - Working with Several 3D Structures Views
  - Chromatogram Viewer
    - Exporting Chromatogram Data
    - Viewing Two Chromatograms Simultaneously
  - DNA/RNA Graphs Package
    - Description of Graphs
    - Graph Settings
    - Saving Graph Cutoffs as Annotations
  - Dotplot
    - Creating Dotplot
    - Navigating in Dotplot
    - Zooming to Selected Region
    - Selecting Repeat
    - Interpreting Dotplot: Identifying Matches, Mutations, Inversions, etc.
    - Editing Parameters
    - Filtering Results
    - Saving Dotplot as Image
    - Saving and Loading Dotplot
    - Building Dotplot for Currently Opened Sequence
    - Comparing Several Dotplots
- Alignment Editor
  - Overview
    - Alignment Editor Features
    - Alignment Editor Components
    - Navigation
    - Coloring Schemes
      - Creating Custom Color Scheme
    - Highlighting Alignment
    - Zooming and Fonts
    - Searching for Pattern
    - Consensus
      - Export Consensus

- Alignment Overview
- Working with Alignment
  - Undo/Redo Framework
  - Selecting Subalignment
  - Moving Subalignment
  - Editing Alignment
    - Removing Selection
    - Filling Selection with Gaps
    - Replacing with Reverse-Complement
    - Replacing with Reverse
    - Replacing with Complement
    - Removing Columns of Gaps
    - Removing All Gaps
  - Saving Alignment
  - Aligning Sequences
  - Pairwise Aligning
  - Working with Sequences List
    - Adding New Sequences
    - Copying Sequences
    - Sorting Sequences
    - Shifting Sequences
    - Collapsing Rows
  - Exporting in Alignment
    - Extracting Selected as MSA
    - Exporting Sequence from Alignment
    - Exporting Alignment as Image
- Statistics
  - Distance Matrix
  - Grid Profile
- Advanced Functions
  - Building HMM Profile
- Building Phylogenetic Tree
  - PHYLIP Neighbor-Joining
  - MrBayes
  - PhyML Maximum Likelihood
- Assembly Browser
  - Import BAM/SAM File
  - Import ACE File
  - Browsing and Zooming Assembly
    - Opening Assembler Browser Window
    - Assembly Browser Window
    - Assembly Browser Window Components
    - Reads Area Description
    - Assembly Overview Description
    - Ruler and Coverage Graph Description
    - Go to Position in Assembly
    - Using Bookmarks for Navigation in Assembly Data
  - Getting Information About Read
  - Short Reads Visualization
    - Reads Highlighting
    - Reads Shadowing
  - Associating Reference Sequence
  - Associating Variations
  - Consensus Sequence
  - Exporting
    - Exporting Reads
    - Exporting Visible Reads
    - Exporting Coverage
    - Exporting Consensus
    - Exporting Consensus Variations
    - Exporting Assembly as Image
  - Options Panel in Assembly Browser
    - Navigation in Assembly Browser
    - Assembly Statistics
    - Assembly Browser Settings
  - Assembly Browser Hotkeys
    - Assembly Overview Hotkeys
    - Reads Area Hotkeys
- Phylogenetic Tree Viewer
  - Tree Settings
    - Selecting Tree Layout and View
    - Modifying Labels Appearance
      - Showing/Hiding Labels
      - Aligning Labels
      - Changing Labels Formatting
    - Adjusting Branch Settings
  - Zooming Tree
  - Working with Clade
    - Selecting Clade

- Collapsing/Expanding Branches
  - Swapping Siblings
  - Zooming Clade
  - Adjusting Clade Settings
  - Changing Root
- Exporting Tree Image
- Printing Tree
- Extensions
  - Workflow Designer
  - DNA Annotator
  - DNA Flexibility
    - Configuring Dialog Settings
    - Result Annotations
  - DNA Statistics
  - DNA Generator
  - ORF Marker
  - Remote BLAST
    - Exporting BLAST Results to Alignment
    - Fetching Sequences from Remote Database
  - BLAST/BLAST+
    - Creating Database
    - Making Request to Database
    - Fetching Sequences from Local BLAST Database
  - Repeat Finder
    - Repeats Finding
    - Tandem Repeats Finding
      - Tandem Repeats Search Result
  - Restriction Analysis
    - Selecting Restriction Enzymes
    - Using Custom File with Enzymes
    - Filtering by Number of Hits
    - Excluding Region
    - Circular Molecule
    - Results
  - Molecular Cloning in silico
    - Digesting into Fragments
    - Creating Fragment
    - Constructing Molecule
      - Available Fragments
      - Fragments of the New Molecule
      - Changing Fragments Order in the New Molecule
      - Removing Fragment from the New Molecule
      - Editing Fragment Overhangs
      - Reverse Complement a Fragment
      - Other Constuction Options
      - Output
    - Creating PCR Product
  - In Silico PCR
    - Primers Details
    - Primer Library
  - Secondary Structure Prediction
  - SITECON
    - SITECON Searching Transcription Factors Binding Sites
    - Types of SITECON Models
      - Eukaryotic
      - Prokaryotic
    - Building SITECON Model
  - Smith-Waterman Search
  - HMM2
    - Building HMM Model (HMM Build)
    - Calibrating HMM Model (HMM Calibrate)
    - Searching Sequence Using HMM Profile (HMM Search)
  - HMM3
    - Building HMM Model (HMM3 Build)
    - Searching Sequence Using HMM Profile (HMM3 Search)
    - Searching Sequence Against Sequence Database (Phmmer Search)
  - uMUSCLE
    - MUSCLE Aligning
    - Aligning Profile to Profile with MUSCLE
    - Aligning Sequences to Profile with MUSCLE
  - ClustalW
  - MAFFT
  - T-Coffee
  - Bowtie
    - Bowtie Aligning Short Reads
    - Building Index for Bowtie
  - Bowtie 2
    - Bowtie 2 Aligning Short Reads
    - Building Index for Bowtie 2

- BWA
  - Aligning Short Reads with BWA
  - Building Index for BWA
- BWA-SW
  - Aligning Short Reads with BWA-SW
  - Building Index for BWA-SW
- BWA-MEM
  - Aligning Short Reads with BWA-MEM
  - Building Index for BWA-MEM
- UGENE Genome Aligner
  - Aligning Short Reads with UGENE Genome Aligner
  - Building Index for UGENE Genome Aligner
  - Converting UGENE Assembly Database to SAM Format
- CAP3
- SPAdes
- Weight Matrix
  - Searching JASPAR Database
  - Building New Matrix
- Primer3
  - RTPCR Primer Design
- Spliced Alignment (mRNA to genomic)
- External Tools
  - Configuring External Tool
- Query Designer
- Plasmid Auto Annotation
- ClustalO
- Kalign Aligning
- DAS Annotating
- Expert Discovery
  - Loading Sequences
  - Mapping Sequences
  - Markup Sequences
  - Creating Signals
  - Generating Signals
  - Complex Signals Recognition on a Sequence
- Shared Database
  - Configuring Database
  - Connecting to a Shared Database
  - Adding Data to the Database
  - Database in the Project
  - Deleting Data
  - Drag'n'drop in the Database
  - Exporting Objects from the Database
- UGENE Public Storage
- UGENE Command Line Interface
  - CLI Options
  - CLI Predefined Tasks
    - Format Converting Sequences
    - Converting MSA
    - Extracting Sequence
    - Finding ORFs
    - Finding Repeats
    - Finding Pattern Using Smith-Waterman Algorithm
    - Adding Phred Quality Scores to Sequence
    - Local BLAST Search
    - Local BLAST+ Search
    - Remote NCBI BLAST and CDD Requests
    - Annotating Sequence with UQL Schema
    - Building Profile HMM Using HMMER2
    - Searching HMM Signals Using HMMER2
    - Aligning with MUSCLE
    - Aligning with ClustalW
    - Aligning with ClustalO
    - Aligning with Kalign
    - Aligning with MAFFT
    - Aligning with T-Coffee
    - Building PFM
    - Searching for TFBS with PFM
    - Building PWM
    - Searching for TFBS with Weight Matrices
    - Building Statistical Profile for SITECON
    - Searching for TFBS with SITECON
    - Fetching Sequence from Remote Database
    - Annotating with DAS
    - Gene-by-Gene Report
    - Reverse-Complement Converting Sequences
    - Variants Calling
    - Generating DNA Sequence
- Creating Custom CLI Tasks

- APPENDIXES
  - Appendix A. Supported File Formats
    - Specific File Formats
    - UGENE Native File Formats
    - Other File Formats
- Tutorials
  - Using BioMart with UGENE
    - Environment requirements
    - Installing UGENE extension on Mozilla Firefox
    - Opening data found using BioMart in UGENE
    - Opening BioMart data in UGENE by ID
    - Opening selected data in UGENE