

Genome Coverage Element

Calculates genome coverage using bedtools genomecov.

Element type: genomecov

Parameters

Parameter	Description	Default value	Parameter in Workflow File	Type
Output directory	Select an output directory. Custom - specify the output directory in the 'Custom directory' parameter. Workflow - internal workflow directory. Input file - the directory of the input file.	Input file	out-mode	numeric
Custom directory	Specify the output directory.		custom-dir	string
Output file name	A name of an output file. If default of empty value is provided the output name is the name of the first file with additional extention.		out-name	string
Genome	In order to prevent the extension of intervals beyond chromosome boundaries, bedtools slop requires a genome file defining the length of each chromosome or contig (-g).	human. hg18	genome	string
Report mode	Histogram () - Compute a histogram of coverage. Per-base (0-based) (-dz) - Compute the depth of feature coverage for each base on each chromosome (0-based). Per-base (1-based) (-d) - Compute the depth of feature coverage for each base on each chromosome (1-based) BEDGRAPH (-bg) - Produces genome-wide coverage output in BEDGRAPH format. BEDGRAPH (including uncovered) (-bga) - Produces genome-wide coverage output in BEDGRAPH format (including uncovered).	Histogram	mode-id	numeric
Split	Treat âsplitâ BAM or BED12 entries as distinct BED intervals when computing coverage. For BAM files, this uses the CIGAR âNâ and âDâ operations to infer the blocks for computing coverage. For BED12 files, this uses the BlockCount, BlockStarts, and BlockEnds fields (i.e., columns 10,11,12) (-split).	False	split-id	boolean
Strand	Calculate coverage of intervals from a specific strand. With BED files, requires at least 6 columns (strand is column 6) (-strand).	False	strand-id	boolean
5 prime	Calculate coverage of 5â positions (instead of entire interval) (-5).	False	prime5-id	boolean
3 prime	Calculate coverage of 3â positions (instead of entire interval) (-3).	False	prime3-id	boolean
Max	Combine all positions with a depth >= max into a single bin in the histogram (-max).	21474836 47	max-id	numeric
Scale	Scale the coverage by a constant factor.Each coverage value is multiplied by this factor before being reported. Useful for normalizing coverage by, e.g., reads per million (RPM). Default is 1.0; i.e., unscaled (-scale).	1.00000	scale-id	numeric
Trackline	Adds a UCSC/Genome-Browser track line definition in the first line of the output (-trackline).	False	trackline-id	boolean
Trackopts	Writes additional track line definition parameters in the first line (-trackopts).		trackopts-id	string

Input/Output Ports

The element has 1 *input port*.

Name in GUI: Input File

Name in Workflow File: in-file

Slots:

Slot In GUI	Slot in Workflow File	Type
Source URL	url	string

And 1 *output port*.

Name in GUI: Output File

Name in Workflow File: out-file

Slots:

Slot In GUI	Slot in Workflow File	Type
Source URL	url	<i>string</i>