

PhyML Maximum Likelihood

The *Building Phylogenetic Tree* dialog for the *PhyML Maximum Likelihood* method has the following view:

Build Phylogenetic Tree

Tree building method: **PhyML Maximum Likelihood**

Substitution Model | Branch Support | Tree Searching | Display Options

Substitution model: **HKY85**

Equilibrium frequencies: optimized ☐ **empirical ☒**

Transition / transversion ratio: fixed ☐ **estimated ☒**

Proportion of invariable sites: fixed ☐ **estimated ☒**

Number of substitution rate categories:

Gamma shape parameter: fixed ☐ **estimated ☒**

Save tree to: ...

Save Settings **Restore Default**

Help **Cancel** **Build**

The following parameters are available:

Substitution model parameters - a selection of the Markov model of substitution:

Substitution model - model of substitution.

Equilibrium frequencies - equilibrium frequencies.

Transition/transversion ratio - fix or estimate the transition/transversion ratio in the maximum likelihood framework.

Proportion of invariable sites - the proportion of invariable sites, i.e., the expected frequency of sites that do not evolve, can be fixed or estimated.

Number of substitution rate categories - the number of substitution rate categories.

Gamma shape parameter - the shape of the gamma distribution determines the range of rate variation across sites.

Branch support parameters - the selection of the method that is used to measure branch support:

Use fast likelihood method - use fast likelihood method.

Perform bootstrap - the support of the data for each internal branch of the phylogeny can be estimated using non-parametric bootstrap.

Tree searching parameters - the selection of the tree topology searching algorithm:

Make initial tree automatically - initial tree automatically.

Type of tree improvement - type of tree improvement.

Set number of random starting tree - the number of random starting tree.

Optimize tree topology - the tree topology is optimised in order to maximise the likelihood.

Optimize branch lengths - optimize branch lengths.

Optimise substitution rate - substitution rate parameters are optimized.

Display tree in new window - displays tree in the new window.

Display tree with alignment editor - displays tree with alignment editor.

Synchronize alignment with tree - synchronize alignment and tree.

Save tree to - file to save the built tree.

Press the *Build* button to run the analysis with the parameters selected and build a consensus tree.